



PERT

95°



ВодоГазАвтоматика
оборудование для инженерных сетей




“ ” ”

50

“ ” ”

80 100,

-
-
-
-
-
-
-



+40 °

50-250

20-1200

0,5 – 13

100

80
18599-2001.

1 %

50



160),

12


50, 100, 150

200

(



PERT



PERT –

PERT,

PERT

PERT

100 80.
600

50 PERT
)

" " "
20 500


110°)

10-15%

PERT 150

PERT

3 - 7 (




5542,

[] 1,2

40 °

160



0,5 13

0,5
1%



() ;

;


;

;



PLASTITALIA

() S.p.A. ()	()	-100	PLASTITALIA -80 -100.
(PN25).	-100 (PE-100) SDR26 (PN6,3), SDR17 (PN10), SDR11 (PN16) 20-400	SDR7,4	
(Pn16).	-100 (PE-100) 355-800	SDR17 (PN10) SDR11	
,	-100 (PE-100) SDR11 (Pn16). 25-90	32-160	
SDR11 (Pn16). ? " 4".	-100 (PE-100)	25-110 ,	
SDR11 (Pn16). ? " 4".	-100 (PE-100)	25-110 ,	
90?	-100 (PE-100) SDR11 (Pn16).	20-180 .	
90?	-100 (PE-100)	25-110 ,	
SDR11 (Pn16). ? " 4".	-100 (PE-100)	25-110 ,	
90?	-100 (PE-100)	25-110 ,	
SDR11 (Pn16). ? " 4".	-100 (PE-100) SDR11 (Pn16).	32-180 .	
45?	-100 (PE-100) SDR11 (Pn16).	32-180 .	



50

75 160

2 20

(), ().



(1),

(1) -



POLYTRON-PROKAN



“ “ ”

Polytron-ProKan

Polytron-ProKan 50

150 1000

SN 6 Sn8.

SN 16.

12 , 315-1200 6

COREX

6 SN 8, 160 680

15

COREX

COREX 50



ВодоГазАвтоматика

оборудование для инженерных сетей

Тел.: +7 (812) 677-50-57 (факс: +7 (812) 677-50-69)
www: vodogaz.spb.ru
www: vgapipe.ru
E-mail: sales@vodogaz.spb.ru